

Solidfloor™ ...forever yours



FLOOR COLLECTION





Prairie white oil

1204354

10/3 mm
1200 x 150 mm



EN 14342-05



EN 14342-05



Prairie natural oil

1204363

10/3 mm
1200 x 150 mm



Prairie smoked white oil

1204364

10/3 mm
1200 x 150 mm





Prairie smoked natural oil

1204365

10/3 mm
1200 x 150 mm



Prairie unfinished look

1204366

10/3 mm
1200 x 150 mm

25 years
Solidfloor[™]
guarantee

CE
EN 14342-05





Savannah white oil

1204376



14/3 mm
1900 x 190 mm



EN 14342-05





Savannah natural oil

1204377



14/3 mm
1900 x 190 mm



EN 14342-05



EN 14342-05



Savannah smoked white oil

1204378

14/3 mm
1900 x 190 mm





Savannah smoked natural oil

1204383



14/3 mm
1900 x 190 mm



EN 14342-05





Savannah unfinished look

1204331




14/3 mm
1900 x 190 mm





EN 14342-05



Savannah white oil

1204333

14/3 mm
2200 x 235 mm





Savannah natural oil

1204334



14/3 mm
2200 x 235 mm



EN 14342-05





Savannah smoked white oil

1204416



14/3 mm
2200 x 235 mm



EN 14342-05





Savannah smoked natural oil

1204417



14/3 mm
2200 x 235 mm



EN 14342-05





Savannah unfinished look

1204418



14/3 mm
2200 x 235 mm



EN 14342-05



EN 14342-05



Savannah white oil

1204420

14/3 mm
2200 x 260 mm





Savannah natural oil

1204421



14/3 mm
2200 x 260 mm





EN 14342-05



Savannah smoked white oil

1204422

14/3 mm
2200 x 260 mm





Savannah unfinished look

1204424



14/3 mm
2200 x 260 mm



EN 14342-05





Savannah smoked natural oil

1204423



14/3 mm
2200 x 260 mm





EN 14342-05



Oceans white oil

1174261

15/4 mm
1900 x 190 mm



Oceans natural oil

1174263

15/4 mm
1900 x 190 mm



EN 14342-05



EN 14342-05



Oceans smoked white oil

1174264

15/4 mm
1900 x 190 mm




Oceans smoked natural oil

1174262

15/4 mm
1900 x 190 mm



EN 14342-05





Desert white oil

1204429

14/3 mm
1900 x 190 mm



EN 14342-05



EN 14342-05



Desert natural oil

1204430

14/3 mm
1900 x 190 mm





Desert smoked white oil

1204431



14/3 mm
1900 x 190 mm



EN 14342-05





Desert smoked natural oil

1204432



14/3 mm
1900 x 190 mm



EN 14342-05





Forest white oil

1204425

14/3 mm
1900 x 190 mm



EN 14342-05



EN 14342-05



Forest natural oil

1204426

14/3 mm
1900 x 190 mm





Forest smoked white oil

1204427



14/3 mm
1900 x 190 mm



EN 14342-05



EN 14342-05



Forest smoked natural oil

1204428

14/3 mm
1900 x 190 mm






Glaciers white lacquered

1204433

14/3 mm
1900 x 190 mm



EN 14342-05





Glaciers natural lacquered

1204434


14/3 mm
1900 x 190 mm



EN 14342-05



EN 14342-05



Glaciers smoked white lacquered

1204435

14/3 mm
1900 x 190 mm



Glaciers smoked natural lacquered

1204436

14/3 mm
1900 x 190 mm



EN 14342-05





Moose
1204387

15/4 mm
1900 x 190 mm







Yampa

1204388

15/4 mm
1900 x 190 mm







Yuba

1204389

15/4 mm
1900 x 190 mm







Timor
1204390

14/3 mm
1800 x 155 mm



EN 14342-05





Rinca
1204391

14/3 mm
1800 x 155 mm



EN 14342-05





Ambon

1204396

14/3 mm
1800 x 155 mm



EN 14342-05



EN 14342-05



Faro


1204335

14/3 mm
1860 x 189 mm



Catalunia
1204336

14/3 mm
1860 x 189 mm



EN 14342-05





Umbria

1204337

14/3 mm
1860 x 189 mm



EN 14342-05



EN 14342-05



Normandie

1204338

14/3 mm
1860 x 189 mm



Andalucia


1204347

14/3 mm
1860 x 189 mm



EN 14342-05





Andorra

1204348

14/3 mm
1860 x 189 mm



EN 14342-05





Cevennes
1204349

14/3 mm
1860 x 189 mm



EN 14342-05





Wallis

1204350

14/3 mm
1860 x 189 mm



EN 14342-05






Eiffel

1204359

14/3 mm
1860 x 189 mm



EN 14342-05





Veneto

1204360

14/3 mm
1860 x 189 mm



EN 14342-05





Lake Drummond

1204361

15/4 mm
1900 x 190 mm



EN 14342-05





Tigris
1204362

15/4 mm
1900 x 190 mm



EN 14342-05





Caddo
1204371

15/4 mm
1900 x 190 mm







Pacific
1204372

15/4 mm
1900 x 190 mm



EN 14342-05





Atlantic
1204373

15/4 mm
1900 x 190 mm







Austin

1204374


15/4 mm
2200 x 260 mm



EN 14342-05



EN 14342-05



Montgomery

1204386

15/4 mm
2200 x 260 mm



Naples

1204385

15/4 mm
2200 x 260 mm



EN 14342-05





Orlando

1204384

15/4 mm
2200 x 260 mm




EN 14342-05





Canterbury
1204400

14/3 mm
610 x 122 mm



EN 14342-05






Chantilly
1204401

14/3 mm
610 x 122 mm



EN 14342-05






Louvre

1204394

14/3 mm
610 x 122 mm



EN 14342-05





St. Paul's
1204395

14/3 mm
610 x 122 mm



EN 14342-05





Windsor
1204393

14/3 mm
610 x 122 mm



EN 14342-05




EN 14342-05



Canterbury

1204409

14/3 mm
610 x 122 mm



Louvre

1204403

14/3 mm
610 x 122 mm



EN 14342-05



EN 14342-05



St. Paul's
1204408

14/3 mm
610 x 122 mm



Windsor
1204402

14/3 mm
610 x 122 mm





EN 14342-05



Chantilly

1204410

14/3 mm
610 x 122 mm



Canterbury

1204414

14/3 mm
630 x 90 mm





EN 14342-05




Chantilly

1204415

14/3 mm
630 x 90 mm





Louvre

1204412

14/3 mm
630 x 90 mm



EN 14342-05



EN 14342-05



St. Paul's
1204413

14/3 mm
630 x 90 mm





Windsor
1204411

14/3 mm
630 x 90 mm



CE
EN 14342-05





Arctic
1204406

15/4 mm
1900 x 190 mm







Alaska

1204339

15/4 mm
1900 x 190 mm







Sahara
1204405

15/4 mm
1900 x 190 mm







Nevada

1204407

15/4 mm
1900 x 190 mm



EN 14342-05





Nordic

1204404

15/4 mm
1900 x 190 mm



EN 14342-05





Tundra

1204397

15/4 mm
1900 x 190 mm



EN 14342-05



EN 14342-05



Tuscany

1204399

15/4 mm
1900 x 190 mm





Smoky Mountains

1204398



15/4 mm
1900 x 190 mm



EN 14342-05



EN 14342-05



New Hampshire

1204358

15/4 mm
1900 x 190 mm



Oregon

1204367

15/4 mm
1900 x 190 mm



EN 14342-05





Maine
1204368

15/4 mm
1900 x 190 mm



EN 14342-05





Nebraska

1204369

15/4 mm
1900 x 190 mm



EN 14342-05





Vermont
1204370

15/4 mm
1900 x 190 mm



EN 14342-05





Arizona
1204379

15/4 mm
1900 x 190 mm



EN 14342-05





Azores

1204340

15/4 mm
1900 x 190 mm



EN 14342-05





Cayman

1204341

15/4 mm
1900 x 190 mm



EN 14342-05





Bosphorus
1204382

15/4 mm
1900 x 190 mm



EN 14342-05





K2

1204392

15/4 mm
1900 x 190 mm



EN 14342-05





Eiger
1204344

15/4 mm
1900 x 190 mm



EN 14342-05





Kilimanjaro

1204345

15/4 mm
1900 x 190 mm



EN 14342-05





Matterhorn
1204346

15/4 mm
1900 x 190 mm



EN 14342-05





Aubisque

1204355

15/4 mm
1900 x 190 mm



EN 14342-05





Mount Cook

1204356

15/4 mm
1900 x 190 mm



EN 14342-05





Torres del Paine

1204357

15/4 mm
1900 x 190 mm



EN 14342-05





Nova Scotia
1204380

15/4 mm
2200 x 220 mm



EN 14342-05



CE
EN 14342-05



Alabama

1204519

15/4 mm
2200 x 220 mm



Indiana

1204520

15/4 mm
2200 x 220 mm



EN 14342-05





Kentucky
1204381

15/4 mm
2200 x 220 mm



CE
EN 14342-05





Kinabalu

1204342

15/4 mm
2200 x 220 mm



EN 14342-05



Jura

1204352

15/4 mm
2200 x 220 mm



EN 14342-05



Ural

1204343

15/4 mm
2200 x 220 mm



EN 14342-05





Caucasus
1204351

15/4 mm
2200 x 220 mm



A photograph of a forest landscape. In the foreground, the dark, silhouetted branches of evergreen trees are visible on the left and right sides. The background shows a dense forest of evergreen trees, with a layer of mist or fog hanging between the trees, creating a sense of depth and atmosphere. The lighting is soft and diffused, with a warm, golden glow in the lower part of the image, suggesting a sunrise or sunset. The overall mood is serene and quiet.

GRADING SAMPLES



Nature Grade





Mill Run Grade



Rustic Grade





Extra Rustic Grade

Danske	Norsk	Svenska	Русский	Slovenš ina	Polski	Português	Italiano	Español	Français	Deutsch	English	Nederlands
Tykkelse	Tykkelse	Tjocklek	Толщина	Debelina	Grubość	Espessura	Spessore	Grosor	Épaisseur	Stärke	Thickness	Dikte
Sortering	Nyanse	Gradering	Градация	Gradacija	Klasa	Gradação	Scelta	Grado	Gradation	Sortierung	Grading	Gradatie
Faset	Fas	Kantfasning	Фаска	Fuga	Faza	Bisel	Bisellatura	Bisel	Chanfrein	Fase	Bevel	Velling
Monteringsssystem	Montering	Sammanfogning	Соединение	Spoj	Łączenie	T&G	posa galleggiante	Macho y Hembra	Rainure & languette	Verbindung	Connection	Verbinding
Oxyderet olie	Oksidativt oljet	Маслом Oxidativoljat	Под оксидированным	Naravno oljen	Olej oksydacyjny	Óleo oxidante	Oleato ossidativo	Aceitado oxidado	Huilé oxydé	Oxidatief geölt	Oxidative oiled	Oxidatief geolied
High Solid	High Solid	High Solid	Высокая прочность	High Solid	High Solid	High Solid	High Solid	High Solid	High Solid	High Solid	High Solid	High Solid
usynlig olie	usynlig olje	osynlig olja	Под невидимый	neviden olje	Olej niewidzialny	óleo invisível	Oleato invisibile	Aceitado invisible	Huile invisible	Unsichtbare Öl	Invisible oil	Invisible oil
Hvidolie	Hvitoljet	Vitoljad	Под белым маслом	Belo oljen	Biały olej	Óleo branco	Oleato bianco	Aceitado blanco	Huilé blanc	Weiß geölt	White oiled	Wit geolied
Naturolie	Naturoljet	Маслом Naturoljad	Под натуральным	Natur oljen	Naturalny olej	Óleo natural	Oleato naturale	Aceitado natural	Huilé naturel	Natur geölt	Natural oiled	Naturel geolied
Roget	Rokt	Rókt	Копченый	Dimljen	Wędzony	Fumado	Affumicato	Fumé	Fumé	Geräuchert	Smoked	Gerookt
Børstet	Børstet	Borstad	Брашированный	Krtačen	Szczotkowany	Escovado	Spazzolato	Cepillado	Brossé	Gebürstet	Brushed	Geborsteld
Extra børstet	Dypt børstet	Djupborstad	Глубоко брашированный	Globoko krtačen	Głęboko szczotkowany	Escovado profundo	Spazzolato forte	Cepillado profundo	Brossé profond	Tief gebürstet	Deep brushed	Diep geborsteld
Håndskrabet	Håndskrapt	Handskrapad	Ручная обработка	Ročno skoblan	Ręcznie heblowany	Arranhado	Piallato a mano	Acuchillado	Raboté à la main	Handgehobelt	Hand scraped	Handgeschraapt
Distressed	Slitt	Åldrad	Состаренный	Staran	Niszczony	Envelhecido	Invecchiato	Envejecido	Vieilli	Gealtert	Distressed	Verouderd
Kant distressed	Slitte kanter	Kantåldrad	Сильно состаренный	Grobi robovi	Krawędzie niszczone	Envelhecido nos topos	Bordi invecchiati	Canto envejecido	Chanfrein vieilli	Kant gealtert	Edge distressed	Kantverouderd
Fremhævede knaster	Skrubbede kvist	Skrubbade kvistar	С обработкой сучков	Poliran	Wyraźnie zaznaczone sęki	Desgastado	Spazzolato	Frotado	Raboté	Ausgebürstete Äste	Scrubed knots	Uitgeboende noesten
Finsavet	Finsaget	Finsågad	С поперечными пропилами	Žagan	Poprzecznie szlifowany	Serra fina	Effetto taglio sega	Aserrado fino	Scié	Feinsägeschnitt	Fine sawn	Fijnbezaagd
Hvidvasket	Hvitvasket	Vittvättad	Выбеленный	Belo pran	Bielony	Coloração a branco	Decapato bianco	Encerado blanco	Cérusé blanc	Weiß gekälkt	White washed	White washed
Sortvasket	Svartvasket	Svartvättad	Зачерненный	Črno pran	Poczerniany	Coloração a preto	Decapato nero	Encerado negro	Cérusé noir	Schwarz gekälkt	Black washed	Black washed
Farvet	Farget	Färgad	Тонированный	Barvan	Koloryzowany	Com coloração	Colorato	Tintado	Coloré	Gefärbt	Coloured	Gekleurd
Reactive Stain	Reactive Stain	Reactive Stain	Reactive Stain	Reactive Stain	Reactive Stain	Reactive Stain	Reactive Stain	Reactive Stain	Reactive Stain	Reactive Stain	Reactive Stain	Reactive Stain
Lak	Lakket	Lackad	Под лаком	Lakiran	Lakier	Envernizado	Verniciato	Barnizado	Vernis	Versiegelt	Lacquered	Gelakt
Termobehandlet	Varmebehandlet	Termobehandlad	Термообработанный	Termično obdelan	Termowany	Termotratado	Trattato thermo	Teromotratado	Traitement thermique	Thermobehandelt	Thermo treated	Thermisch behandeld
Velegnet til gulvarme	Egnet for gulvarme	Anpassat för golvvärme	Подходит для полов с подогревом	Primeren za talno ogrevanje	Odpowiedni pod ogrzewanie podłogowe	Adequado para piso radiante	Adatto per riscaldamento a pavimento	Adaptado para calefacción radiante	Adapté pour chauffage au sol	Geeignet für Fußbodenheizung	Suitable for (under)floor heating	Geschikt voor vloerverwarming
Velegnet til gulvkøling	Egnet for gulvkøling	Anpassat för golvkyla	Подходит для полов с охлаждением	Primeren za talno hlajenje	Odpowiedni pod chłodzenie podłogowe	Adequado para piso arrefecido	Adatto per climatizzazione a pavimento	Adaptado para suelo refrigerante	Adapté pour sol rafraîchissant	Geeignet für Fußbodenkühlung	Suitable for floor cooling	Geschikt voor vloerkoeling
Brandklasse	Brandklasse	Brandklass	Класс пожаробезопасности	Razred gorljivosti	Klasa reakcji na ogień	Classe de Resistência ao Fogo	Classe antincendio	Clase de fuego	Classe de feu	Brandklasse	Fire class	Brandklasse
Fuldklæbes	Må hellimes	Limmas mot underlaget	Обязательно приклеивать к основанию	Lepljenje na površino	Całkowicie klejona do podłoża	Colagem obrigatória à betonilha	Incollaggio totale	Encolado obligatorio	Pose collée obligatoire	Nur geeignet für vollflächige Verklebung	Glued required	Verlijmen verplicht
Monster	Monster	Mönsterläggning	Образец	Vzorec	Wzór	Padrão	Sistema di posa	Modo de instalación	Forme de pose	Verlegemuster	Pattern	Legpatronen

